

# UNM 410-10-50 WX A713011

Product specification sheet



Technical Data	A713011
Air displacement	410 l/min
Max. free air delivery	295 l/min
Max. pressure	10 bar
Cylinder/Stage	2/1
Tank capacity	50 l
Voltage	230 Volt/50 Hz
Motor output	2,2 kW
Drive	1000 min <sup>-1</sup>
Noise level	96 dB(A)
Dimensions(WxDxH)	885x410x870mm
Weight	67 kg

## Product description

### Fact Sheet


- Compressor is easily moveable due to castor wheels, ergonomic handle and extra handle on the tank



- Mobile V-belt driven piston compressor with **EXTRA** equipment
- For applications up to 10 bar
- High quality performing air compressor is perfect for professional use
- Equipped with filter pressure reducer, oil-fog lubricator and condensate drain in operating height
- Application: Using impact wrenches, ratchet screwdrivers, pneumatic screw driver, saws, rivet gun, grease gun, staple and nail guns, spray guns, cartridge gun, blow-out guns and ratchet screwdriver

# UNM 410-10-50 WX A713011

## Product specification sheet



**Perfect working conditions** thanks to clearly arranged **control panel** with filter pressure reducer, oil-fog lubricator and shutoff ball valve on the discharge port

**Easy transport**  
Ergonomic handle perfectly fitted and extra lifting handle on the tank

**High flexibility** is provided by **4 m** cable length

**Silent run and perfect cooling** due to approved cooling air flow and approved aggregate with V-belt drive

**Working safely** due to **2 safety quick release couplings**

**Excellent working comfort** with perfect overview - two pressure gauges for measuring tank and outlet pressure

**Long service life** thanks to the **15 years** anti-corrosion warranty on the compressed air tank

**Solid stand and comfort transportation** due to large **rubber wheels** and castor wheels with brakes

### Further information

Operates fully automatically

High quality Condor pressure switch with unloader valve, motor protection and on-off switch

Scope of delivery

Instruction manual

Warranty

12 months for industrial use  
24 months for private (non-commercial) use  
36 months when registrated online